

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	90926	(tak\$3 or captur\$3) near5 image	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:27
L2	68477	(photoelectrical or optic\$5) near3 conver\$4	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:28
L3	80184	(miniature or small or tiny or compound) near4 (optic\$4 or eye)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:30
L4	14	1 and 2 and 3 and (inclin\$3 near4 lens\$2)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:49
L5	4507	2 near5 (two or three or more or plurality)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:38
L6	0	4 and 5	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:39
L7	34	1 and 5 and 3 and lenses	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:40
L8	225853	(attach\$4 or secur\$3 or hold\$3) near9 (cloth\$3 or shirt or pan or belt or badge or button or buckle or card)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:41
L9	5	(4 or 7) and 8	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:42
L10	5	((("6278480") or ("5793419")).PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/28 14:49
L11	0	5 and 10	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:50
L12	1	8 and 10	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/28 14:50

US 6306082 B1	Stereoendoscope wh	600/173	600/111; 600/112; 600/166; 600/
US 5743846 A	Stereoscopic endosc	600/166	600/111
US 6667796 B1	Exposure method and	355/30	355/53; 355/67; 355/68; 356/399;
US 6567226 B2	Method for designing	359/563	359/565; 359/566; 700/36
US 6526231 B2	Tremble correction ca	396/55	
US 5953546 A	Camera	396/272	396/386; 396/429
US 5717960 A	Image vibration correc	396/55	396/52
US 5664243 A	Camera	396/246	348/296; 348/333.02; 348/333.06
US 5477303 A	Photographic device	396/114	396/60
US 5424552 A	Projection exposing ap	250/548	355/53; 355/55; 356/401
US 5387999 A	Camera shake compe	359/557	359/554; 359/676; 359/683; 359/6
US 4688920 A	Focus state detecting	396/112	
US 4687310 A	Stereoscopic photogr	396/327	396/324
US 3975750 A	View finder for a singl	396/384	396/341; 396/373

L4

US 6950219 B2	Optical apparatus	359/253	359/245; 359/246; 359/250; 359/251
US 6806988 B2	Optical apparatus	359/253	359/245; 359/246; 359/250; 359/251
US 6934094 B2	Imaging lens device	359/717	359/691; 359/692; 359/793; 359/794
US 6867864 B2	Optical measurement	356/402	433/29
US 6867407 B2	Light probe microscope	250/201.3	250/306
US 6819360 B1	Image pickup element	348/340	348/345
US 6750971 B2	Optical measurement	356/405	600/127; 600/160
US 6590852 B1	Massively-parallel write	369/112.2	369/120
US 6535114 B1	Method and apparatus	340/435	340/436; 340/903; 340/907; 348/349
US 6377305 B2	Image sensing apparatus	348/345	348/350
US 6324203 B1	Laser light source, illumination	372/75	372/106; 372/68; 372/72; 372/97
US 6315415 B1	Image projector	353/98	353/31
US 6247817 B1	Projector	353/38	353/119; 353/20
US 6215593 B1	Portable wide-field optical	359/619	359/626
US 6142634 A	Projector	353/38	353/101
US 5990990 A	Three-dimensional display	349/74	345/6; 349/77; 349/83; 359/316; 359/317
US 5900982 A	High efficiency light valve	359/619	349/62; 353/81; 353/98
US 5894353 A	Optical measuring method	356/446	356/429
US 5828724 A	Photo-sensor fiber-optic	378/70	378/71
US 5689365 A	Stereoscopic-vision eyeglasses	359/362	359/363; 359/375; 359/376; 359/377
US 5602679 A	High efficiency light valve	359/640	345/32; 348/744; 348/760
US 5581075 A	Multi-beam scanning system	250/205	250/548; 355/69; 356/400
US 5572359 A	Differential interference contrast	359/386	359/371; 359/385
US 5373335 A	Cellular images and analysis	396/155	355/22; 396/324
US 5341229 A	Holographic display system	359/10	359/24; 359/258; 359/34
US 5337115 A	Focus detecting device	348/349	250/201.9; 396/111; 396/121
US 5335082 A	Method and apparatus	347/232	
US 4962431 A	Synchronizing signal generator	358/296	347/250; 347/256; 347/261; 358/297
US 4924853 A	Stereoscopic medical display	600/111	348/65; 600/166; 600/171
US 4837588 A	Synchronizing signal generator	347/250	250/235; 250/237G; 347/258; 358/297
US 4814895 A	Image reading device	358/514	358/511; 358/515
US RE31370 E	System for exposure reduction	396/110	250/201.8; 356/222
US 4047187 A	System for exposure reduction	396/100	250/201.1; 250/201.2; 356/222; 356/223
EP 1377039 A2	Compound eye image pickup apparatus and electronic apparatus		

L7

US 6950219 B2	Optical apparatus	359/253	359/245; 359/246; 359/250; 359/253
US 6806988 B2	Optical apparatus	359/253	359/245; 359/246; 359/250; 359/253
US 6526231 B2	Tremble correction ca	396/55	
US 5953546 A	Camera	396/272	396/386; 396/429
US 5664243 A	Camera	396/246	348/296; 348/333.02; 348/333.06

L9